



Commit to your health.

**Wyoming Healthy Together Program**  
1-888-545-1710 | www.WYHealthyTogether.com



## Childhood Vaccination Schedule\*

Vaccine	Disease Prevented	Immunization Schedule
Hepatitis (HepB)	<b>Hepatitis B</b> , an infection that can cause chronic, severe liver disease	1st: Birth 2nd: 1 through 2 months after the 1st 3rd: 6 through 18 months
Rotavirus (RV)	<b>Rotavirus</b> infection, which causes severe diarrhea in infants and children up to 2 years old	1st: 2 months 2nd: 4 months 3rd: 6 months
Diphtheria, Tetanus, Pertussis (DTaP)	<b>Diphtheria</b> , a disease that causes inflammation of the throat and airways, which can block breathing  <b>Tetanus</b> (lockjaw), a disease that causes severe, painful spasms of neck, jaw, and other muscles; can cause death  <b>Pertussis</b> (whooping cough), a disease that causes prolonged loud coughing and gasping; can prevent breathing and cause death	1st: 2 months 2nd: 4 months 3rd: 6 months 4th: 15 through 18 months 5th: 4 through 6 years  <b>Note:</b> Your child also needs an extra dose (called the Tdap) at 11–12 years old, if he or she has not received a tetanus and diphtheria (Td) booster. The Td booster should then be received every 10 years throughout life.
<i>Haemophilus influenzae</i> Type b (Hib)	<b>A severe bacterial infection</b> that can lead to pneumonia (lung infection), meningitis (brain infection), and other serious infections	1st: 2 months 2nd: 4 months 3rd: 6 months (your healthcare provider will tell you if this one is needed) 4th: 12 through 15 months
Inactivated Poliovirus (IPV)	<b>Polio</b> , an infection that can paralyze the muscles	1st: 2 months 2nd: 4 months 3rd: 6 through 18 months 4th: 4 through 6 years
Measles, Mumps, Rubella (MMR)	<b>Measles</b> , a disease that can lead to brain inflammation  <b>Mumps</b> , a disease that may affect ovaries and testes	1st: 12 through 15 months 2nd: 4 through 6 years